

## Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
<b>2220/10/2017</b>	<b>TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic</b>
Declaration subject	
<b>Round safety overflows TOPWET TWPP and TWPP MINI with integrated sleeve</b>	
Type	<input type="checkbox"/> TWPP 50 ____ <input type="checkbox"/> TWPP 75 ____ <input type="checkbox"/> TWPP 110 ____ <input type="checkbox"/> TWPP 125 ____ <input type="checkbox"/> TWPP MINI ____
The subject of declaration described above is in conformity with requirements	
<b>EN 1253-2:2015 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap</b>	

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN50, DN70, DN100, DN125, DN40 (version MINI)
2. Purpose: drainage of flat roofs, terraces and balconies
3. Material: polyamide PA6/PVC – UV Stabil
4. Integrated connection sleeve  
 BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: white

b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg,  
test report nr. 7313209 issued on 8. 2. 2013

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017  
by URS United Registrar of Systems Czech s.r.o.,  
PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within  
the scope of established production management system



*Jaroslav Černý*  
 Jaroslav Černý | CEO

In Ostrovačice on 01. 10. 2017